



CERRATO®

CHIUSURE METALLICHE

**FIRE DOORS
AND GATES**

Certified solutions to guarantee
insulation and safety.

www.cerratospa.com

CERRATO COMPANY

Cerrato company extends over a covered area of about 7.200 sq. mt, it avails itself of 40 expert collaborators and is one of the leading companies in southern Italy manufacturing metal closing systems, with a distribution covering the whole national territory and with commercial agencies based in Rome, Milan and Turin.

The history of Cerrato company dates back to about one hundred years ago, with the forefather Giovanni, a simple blacksmith forging locks and latches, started the business, developing that know how which since then is handed down from father to son. In the '70s, with the brothers Mario and Antonio, there was a turning point in the company's development, with the transformation of the old business of iron working into the industrial manufacturing of closing systems of any kind.

Gates, shutters and doors are manufactured using a technology and materials of a quality higher than standards, this is a virtue that a lot of our customers have recognized over years and for which they continue to choose Cerrato metal closing systems.

Today the company is represented by the young men Orlando and Giovanni Cerrato, who with the same temper of their grandfather and their parents, continue to manage their business in an innovative and efficient way, after having transformed it, in 2011, into **Cerrato chiusure metalliche S.p.A.**

Since 2013 the company has got a modern painting plant which allows to carry out any possible painting processes in its own premises, under the utmost safety, and with an optimization of times and costs and a minimum environmental impact thanks to its powder recycling plant.

Our secret is in our commitment to doing our work at best.





FIRE DOORS AND GATES

UNIVER and PROGET fire doors are made from wholly galvanized metal sheet painted with RAL colours. The model UNIVER is provided with a frame on four sides that makes it reversible. It is suitable for wall mount by anchors or dowels. The model PROGET is made of a very strong frame, and is ideal for big size doors or in case of application on fake walls. It is suitable to be applied on masonry and plasterboard walls (with a special frame available on request), for wall fixing by anchors, dowels or screws on counterframe.

TECHNOLOGY AND FLEXIBILITY

Our products are selected and are the result of a combination of our utmost care for compliance with the fire fighting rules in force today and different practical needs. We offer certified solutions for mounting on different supporting elements: masonry, plasterboard, counterframe.

SAFETY

Fire doors and gates are widely used in buildings hosting a big number of users, every day, where the safety of people must be guaranteed: in the schools, in hospitals, at fairs, in shopping centres and production centres, in hotels, in museums, etc.

SERVICE

Cerrato company has got its own direct agents all over Italy and guarantees full assistance to its customers, starting from yard survey to **customized planning**. **Mechanical installation** is carried out by authorized personnel with ten year experience in the sector; **electric installation** is certified according to rules in force. **Delivery and distribution**, both vertical and horizontal, are carried out by Cerrato's own means of transport or by carriers entrusted by the company itself and are guaranteed as regards their safety. As it is provided by the rules in force (Legisl.Decree 81/08), in agreement with the Customer's Manager of the Safety plan, the Safety Operative Plan (SOP) is drawn up, in compliance with the "Safety and Coordination Plan" and with the correct application of the standard installation procedures. **After sale assistance** is guaranteed by Cerrato Points, authorized service points scattered over the territory.


02



Certificazioni prodotti NINZ



CERRATO POINT




VENDITA, INSTALLAZIONE E ASSISTENZA
CHIUSURE METALLICHE

www.cerratospa.com

UNIVER

MODEL




PROGET

MODEL




REI 60 and REI 120 fire door made from steel wholly galvanized and powder painted steel sheet. Reversible, with one or two leaves having a thickness of 50 or 60 mm. Frame size 53x55 or 53x65 with removable threshold.


REI 30, REI 60 and REI 120 particularly robust fire door made from steel wholly galvanized and powder painted steel sheet. With one or two leaves, it is also tailor made. Leaves are 60 mm thick with a robust angle frame 70x100 mm to be assembled.




ONE LEAF DOOR -
HORIZONTAL SECTION



DOOR WITHOUT BOTTOM STOP -
VERTICAL SECTION



ONE LEAF DOOR -
HORIZONTAL SECTION



DOOR WITHOUT BOTTOM STOP -
VERTICAL SECTION

ACCESSORIES

Useful and functional accessories provided on request. REI 60 and 120 inspection windows of customizable shape and sizes, control access, opening or leaf retaining device.




SQUARE SHAPED INSPECTION WINDOW


Glass REI 120 or 60. Also available in the round shaped version.



TOUCH BAR EXUS



TOUCH BAR SLASH



SPRING HINGES



DOOR CLOSER



INTERNAL/EXTERNAL HANDLE

Made from nylon, black coloured, provided with plate and yale cylinder for standard lock.



INTUMESCENT SEALS

COLOUR PALETTE

STANDARD colours



OPTIONAL colours



The colours here reproduced are only indicative. For further colours contact the Engineering Department.

FIRE GATES

**HORIZONTAL SLIDING GATE - 2 LEAVES****HORIZONTAL SLIDING GATE - 1 LEAF****TURNING GATE**

REI 120 fire gates made from steel sheet available with horizontal sliding and in the turning version, certified according to the Italian rule UNI 9723. Their use range is represented by big size applications and/or special use conditions in the sizes requested by the customer. Gates are provided with leaves made of insulated coplanar modules, frame or sliding guides, counterweights and primer finish or RAL colours and other accessories for the right working of the artefact. REI 180 one leaf sliding gates are also available.

The gate leaf provided with thermal cut-off, in its normal state is not conditioned by the counterweight. The control stop damper absorbs the shutting down impact. The gate leaf provided with electromagnet is always conditioned by a counterweight. It can only remain opened by the electromagnet or kept closed by the counterweight.



ROLLER SHUTTERS

Customized solutions to enhance and protect spaces.



GARAGE DOORS

Solidity and ease of operation optimize space.



SECTIONAL DOORS

A modern system for prestigious buildings.



RETRACTABLE GATES

Protection with utmost visibility.









CELLAR AND MULTIPURPOSE DOORS







Ease of operation and resistance challenging time.



RESIDENTIAL LINE

-  ROLLER SHUTTERS
-  GARAGE DOORS
-  SECTIONAL DOORS
-  RETRACTABLE GATES
-  CELLAR AND MULTIPURPOSE DOORS
-  FIRE DOORS AND GATES

INDUSTRIAL LINE

-  ROLLER SHUTTERS
-  FOLDING DOORS
-  SECTIONAL DOORS
-  SLIDING DOORS
-  EMERGENCY EXIT DOORS
-  CELLAR AND MULTIPURPOSE DOORS



The most intelligent and safest way to protect your borders.